

## **S P KOURSE BARRIER TYRE KILLER**

Mosfi Spiko (Hump Type Tyre Killer/Spike Barrier) are Designed with the mind Frame for working Barriers as well as speed breakers. They have capability of curing the load of Vehicle from 10 Ton to 70 Ton (as per client need)

- Spiko Material Consist Mild Steel Fully galvanized and powder coated Spray painted/AISI 304/AISI 316 as per need of client.
- Mosfi Tyre Killer barrier is a simple to install & maintenance free ma Supporting safety equipments.
- Can be adjusting with angle of variation from 10degree to 90 degree. of Original and Genuine Parts




GUARANTEEDAV

www.alaskagroup.in | sales@alaskagroup.in India's No.1 Manufacturer of Entrance Automation Machines

## **TYRE KILLER TECHNICAL SPECIFICATION**

Model	SPIKO
Vehicle Passage Width	Customized 3-6 Mtr.
Open /Close time	1- 3 Sec
Material	Electro-GALVANIZED Mild Steel
Paint	Spray
Mother Board	FR 658 Series
Motor Type	Servo Reversible Motor (AC Motor)
Power Supply	230 Volt AC
Motor Rated Torque	76%
Gears	Moderate Mild Steel Oil Filled and Sealed Composite Gear Drive Unit with Internal Locking Feature.
Height of the Spike above Block	150mm (minimum)
Spike Dimension	150mmX25mm (minimum)
Spike to Spike Distance	100mm (maximum)
Operation Through	Remote/E Switches
Operating Temperature	-200C to + 700C
Load Capacity	Steel Structure to be capable to withstand 20 to 30 Ton Vehicle load.
Safety Features	Two ways Traffic Light , Pair of Photocell Safety Beam (OPTIONAL) manual operation in case of power failure
Duty Cycle	100%

## **DIMENSIONS** :



©Copyeight2017 Mosfi Logo and Designs are Subject to Registered Trademark and Patent of Alaska Automation Pvt. Ltd. or Related Companies All Specifications / Images are subject to change without Notice. All right reserved.

> www.alaskagroup.in | sales@alaskagroup.in India's No.1 Manufacturer of Entrance Automation Machines